

HEIGHT ACCESS & FALL PROTECTION



FIXED LADDERS

RL20 series angled fixed ladders

Ergonomic solution for access between varying roof levels up to 16ft.



RL30 series vertical fixed ladders

Standard ladder option made from high-tensile, lightweight aluminum.



RL40 series caged fixed ladders

Constructed of aluminum, these caged fixed ladders are lightweight, sturdy, and non-corrosive.



RL60 series fold down ladders

Makes accessing hard-to-reach areas more convenient and take much less storage space.



LADDER FALL ARREST

Ladder fall arrest system

Ladder fall arrest solution that integrates with the Kattsafe ladders and can also be retrofitted to existing OSHA compliant fixed ladders.



Ladder fall arrest traveler device

A minimum fuss traveler device that is exclusively used with the Kattsafe ladder fall arrest system.



Energy shock absorber

Energy absorbing lanyard attaches to the traveler device and to the front chest D-ring of an approved fall arrest safety harness.



Full body harness with front D-ring

The front D-ring harness will be needed to complete the ladder arrest system.



LADDER ACCESSORIES


GW390/GW390A Self-closing gate



LD426 Security door



LD425 Cage gate



LD427 Hinged security door



KD401 Wall/parapet ladder support bracket



KD402 Roof mount ladder support bracket



BASE OPTIONS

LD419F Non-penetrating base plate



LD419S Floor mount



LD421.280S Off-floor mount



LADDER BRACKETS


LD421.280 Standard fixing bracket



LD421.400 Gusseted fixing bracket



LD421.600 Adjustable fixing bracket



CROSSOVERS

KC103 modular crossover systems

Allows for safe access over pipes, expansion joints, and equipment or up to elevated areas. Custom sizes available.



Each system includes

- (2) Pre-configured stair modules
- 36in x 36in platform
- Top rail, mid rail, and post kits
- Base mounting method
- 3ft width. Other widths available

KBMK.180

Freestanding option. Each kit contains (1) 5ft long support extrusion and hardware for a cost effective mounting option.



KBMK.KP.XX

Mechanically attached option. Each kit contains (2) roof deck attachment anchors with roof specific membrane attached.



KBMK.1WB

Freestanding option. Each kit contains (2) 12in x 12in plastic coated steel bases weighing 21lbs each.



MODULAR ACCESS SYSTEMS

Stair and platform systems

Used for access to machinery and elevated equipment for inspection.



Stair tower systems

Highest level of safe and easy access. Purpose built to suit required application.



Suspended catwalks

Used for access in ceiling spaces or above heavy machinery for maintenance.



Ships ladders

Assembled at a 65 degree angle with handrails for safe and easy access.



DOCK STAIRS

Dock stairs

Pre-welded railing and pre-assembled stairs join together in the field with T-bolts - eliminating the need to weld or drill in the field. OSHA and IBC compliant.



Components

Stair tread




Handrail



Platform rail



Platform



Double post support



MODULAR RAMPS

KBR1200.12 modular ramp

4ft wide ramp to clear heights up to 12in.




KBR1200.24 modular ramp

4ft wide ramp to clear heights up to 24in.



KBR1200.36 modular ramp

4ft wide ramp to clear heights up to 36in.



ROOF HATCH SYSTEMS

Roof hatch system

Convenient, cost-efficient rooftop access, allowing for ladder and stair access to the roof.



Roof hatch guardrail system

An innovative fixed railing system that assembles in minutes and provides permanent fall protection for hatch openings.



Roof hatch hoist system

Provides a safe, easy method to lift items under 100lbs up to the rooftop



ROOFTOP GUARDRAILS


GR31/GR33 internal & external wall mount guardrail

The highest level of passive safety for internal and external wall mounted applications.




GR32 metal roof mount guardrail

Designed for metal roofs including R panel and standing seam systems.




GR34 non-penetrating guardrail (Legacy)

The highest level of passive safety for membrane and built-up roof systems.



GR36 surface mount guardrail

Designed for applications where an alternative to weighted bases is needed. Mounts into the roof deck, and approved by major membrane manufacturers to uphold warranty.



NEW PRODUCT

GR37 NON-PENETRATING, STACKABLE BASE GUARDRAIL

Available configurations

GR37.CW Cantilevered (standard)

The standard configuration for all GR37 orders.



GR37.IN In-line

Optional configuration for areas where space is limited.



GR37.HL High load

This configuration is used for applications where higher loads are required (e.g. Cal OSHA)



Components

Weighted base



Angled foot



T-bolt




Base clip



WALKWAY SYSTEMS


Flexible walkway matting

A roll flat solution that is slip resistant, quick to install, keeps employees safe, and protects the integrity of the roof.



Fiber walkway matting

A multi-directional, non-slip walkway option.



Aluminum walkway systems

Lightweight, non-corrosive walkway system which provides safe, designated access around the rooftop



Aluminum walkway systems with guardrail

Designed for safety and flexibility. Can be leveled to accommodate for roof slope, and seamlessly combined with our guardrail systems.

