


Gladiator External Safety Cage

Product Data Sheet

Safety For Your Roof



Kingspan Platinum Distributor: Logistics Lighting - We Are Skylight Experts
Phone: 307-633-9696 - Toll Free: 844-455-7283 - Email: Sales@LogisticsLighting.com


Application

Gladiator external safety cages shall be model No. SCAGE as manufactured by Kingspan Light + Air, Santa Ana, CA. External safety cages shall be fully factory assembled consisting of a Ø1/4" nominal galvanized steel wire mesh with a 4" square grid pattern and 3" long corrosion resistant metal angle connecting clips. External safety cage attaches to 1-3/4" x 2" corrosion resistant angle brackets. The external safety cage assembly is to be attached to the skylight frame using corrosion resistant #8 TEK screws with an interval spacing of no more than 12" centers. External safety cage shape may vary based on size and rise of skylight.

Dimensions*

Model Size	Inside Curb Dimensions	Model Size	Inside Curb Dimensions	Model Size	Inside Curb Dimensions
2424	24" x 24"	2448	24" x 48"	4872	48" x 72"
3636	36" x 36"	2496	24" x 96"	4884	48" x 84"
4848	48" x 48"	24120	24" x 120"	4896	48" x 96"
6060	60" x 60"	3660	36" x 60"	48120	48" x 120"
		3672	36" x 72"	6072	60" x 72"
		3696	36" x 96"	6084	60" x 84"
		36120	36" x 120"	6096	60" x 96"
		4860	48" x 60"	60120	60" x 120"

*Call for additional sizes.



Technical Specifications

OSHA

Meets CFR load values

Example Model Number

4896-SCAGE

Features

1. Ø 1/4" Nominal galvanized steel wire mesh
2. 4" Grid pattern
3. 3" Corrosion resistant connecting clips
4. 1-3/4" x 2" Corrosion resistant angle brackets

Warranty

For a period of ten (10) years from date of purchase, Kingspan Light + Air warrants that Gladiator products will be free of defects in material and workmanship. Exceptions do apply. Please see full 10-Year Warranty document for more details.